

Bulk Material Valves

Request For Quote (RFQ)

_ of _

Date: _____

Date Req'd: _____

EV- _____

Rev ()

Company: Contact: Dept:

Address: Phone: (.....).....

Fax: (.....)..... Yes

Est Purchase Date: Budgetary Pricing Email:

PROJECT / APPLICATION:

Partical Size:		Bulk Density:	
1	2	3	4
Feed	Discharge	Vent / Equalize	Line / Divert

*Media

Media Properties

* Valve Size

Valve Quantity

End Connections

Valve Body Material

Paint EV Std Latex (Blue) Latex / Zinc Primer Epoxy Customer Specified

* Media Temperature at Valve

* ΔP Just Prior to Opening

* Oper. / Design Pressure

* Close on Static Column (Y / N)

Valve Cycle Rate

Seat Test

* Cylinder Instrument Air (psig)

Std Solenoid (4-Way Single Coil, 110 volts) Unmounted


Mech / Proximity Limit Switch (Switches not field mountable)

Fail Safe Air Reservoir (Y/N)

Flanged Std ANSI Drilling Other

Carbon Steel Cast Iron

EV Standard Special: Cust. Spec.



Attachments: Sketch Specifications Visual Open/Close Indication: Double Ended Cylinder Reed Switches
Additional Comments:

April 20, 2010



108 Somogyi Ct., S. Plainfield, NJ 07080
 Fax: 908-769-8697 Tel: 908-769-0700
info@everlastingvalveusa.com
www.EverlastingValveUSA.com

